

SALI[®]

TO BE TOP A



PROFESSIONAL POWER TOOLS

AIR COMPRESSOR
WATER PUMP
WELDING MACHINE

MODEL: 6100P

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	680W
No-load speed:	11000r/min
Disc size:	100mm
Spindle thread:	M10

SPECIFICATIONS	
Weight:	2.0kg
Case pack:	10pcs
G.W./N.W.:	20.0kg/19.0kg
Carton size:	64.5x36x25.5cm

MODEL: 6100B/6115B

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	710W
No-load speed:	11000r/min
Disc size:	100/115mm
Spindle thread:	M10/M14

SPECIFICATIONS	
Weight:	1.75kg
Case pack:	6pcs
G.W./N.W.:	13.5kg/11.0kg
Carton size:	43x42x28cm

MODEL: 6100D

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	750W
No-load speed:	11000r/min
Disc size:	100mm
Spindle thread:	M10

SPECIFICATIONS	
Weight:	1.85kg
Case pack:	8pcs
G.W./N.W.:	20.5kg/18.5kg
Carton size:	50.5x39.5x23.5cm

MODEL: 6115A/6125A

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	900W
No-load speed:	11000r/min
Disc size:	115/125mm
Spindle thread:	M14

SPECIFICATIONS	
Weight:	2.3kg
Case pack:	6pcs
G.W./N.W.:	15.0kg/14.0kg
Carton size:	43x34x27cm

MODEL: 6115C

ANGLE GRINDER



DESCRIPTION	
Voltage:	110-120V
Frequency:	50/60Hz
Power:	800W
No-load speed:	11000r/min
Disc size:	115mm
Spindle thread:	M5/8-11

SPECIFICATIONS	
Weight:	1.9kg
Case pack:	10pcs
G.W./N.W.:	22.6kg/21.6kg
Carton size:	65.5x33.5x26cm

MODEL: 6115F

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	850W
No-load speed:	11000r/min
Disc size:	115mm
Spindle thread:	M14

SPECIFICATIONS	
Weight:	2.0kg
Case pack:	10pcs
G.W./N.W.:	21.0kg/20.0kg
Carton size:	60x32.5x21.2cm

MODEL: 6100G

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	760W
No-load speed:	11000r/min
Disc size:	100mm
Spindle thread:	M10

SPECIFICATIONS	
Weight:	2.0kg
Case pack:	10pcs
G.W./N.W.:	21.0kg/20.0kg
Carton size:	60x32.5x21.5cm

MODEL: 6100H/6115H

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	850W
No-load speed:	11000r/min
Disc size:	100/115mm
Spindle thread:	M10/M14

SPECIFICATIONS	
Weight:	2.0kg
Case pack:	10pcs
G.W./N.W.:	21.0kg/20.0kg
Carton size:	60x32.5x21.5cm

MODEL: 6115S

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	850W
No-load speed:	11000r/min
Disc size:	115mm
Spindle thread:	M14

SPECIFICATIONS	
Weight:	2.0kg
Case pack:	10pcs
G.W./N.W.:	21.0kg/20.0kg
Carton size:	60x32.5x21.2cm

MODEL: 6115P

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	900W
No-load speed:	11000r/min
Disc size:	115mm
Spindle thread:	M14

SPECIFICATIONS	
Weight:	1.88kg
Case pack:	10pcs
G.W./N.W.:	25.6kg/24.6kg
Carton size:	66x36.5x25cm

MODEL: 6125B

ANGLE GRINDER



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	1010W
No-load speed:	11000r/min
Disc size:	100/115/125mm
Spindle thread:	M14

SPECIFICATIONS	
Weight:	2.15kg
Case pack:	6pcs
G.W./N.W.:	16.2kg/14.4kg
Carton size:	43x42x28.5cm



MODEL: 6125C**ANGLE GRINDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	900W
No-load speed:	11000r/min
Disc size:	125mm
Spindle thread:	M14

SPECIFICATIONS

Weight:	1.37kg
Case pack:	10pcs
G.W./N.W.:	14.7kg/13.7kg
Carton size:	43x36x22.5cm

MODEL: 6125D**ANGLE GRINDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1200W
No-load speed:	11000r/min
Disc size:	125mm
Spindle thread:	M14

SPECIFICATIONS

Weight:	1.5kg
Case pack:	10pcs
G.W./N.W.:	16.3kg/15.3kg
Carton size:	43x43x29cm

MODEL: 6180P**ANGLE GRINDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2400W
No-load speed:	8000r/min
Disc size:	150/180mm
Spindle thread:	M14

SPECIFICATIONS

Weight:	6.7kg
Case pack:	2pcs
G.W./N.W.:	15.5kg/14.5kg
Carton size:	57x28x18cm

MODEL: 6180G**ANGLE GRINDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1800W
No-load speed:	8500r/min
Disc size:	150/180mm
Spindle thread:	M14

SPECIFICATIONS

Weight:	3.6kg
Case pack:	4pcs
G.W./N.W.:	19.0kg/18.0kg
Carton size:	51.5x26x30cm

MODEL: 6230A**ANGLE GRINDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2400W
No-load speed:	6000r/min
Disc size:	180/230mm
Spindle thread:	M14

SPECIFICATIONS

Weight:	5.5kg
Case pack:	4pcs
G.W./N.W.:	25.0kg/24.0kg
Carton size:	56x38x26cm

MODEL: 6230C**ANGLE GRINDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2800W
No-load speed:	6000r/min
Disc size:	180/230mm
Spindle thread:	M14

SPECIFICATIONS

Weight:	6.45kg
Case pack:	2pcs
G.W./N.W.:	14.5kg/13.5kg
Carton size:	53.5x35x19.5cm

MODEL: 6230G**ANGLE GRINDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2200W
No-load speed:	6500r/min
Disc size:	230mm
Spindle thread:	M14

SPECIFICATIONS

Weight:	6.25kg
Case pack:	3pcs
G.W./N.W.:	13.5kg/12.5kg
Carton size:	51.5x41.5x19cm

MODEL: 2106P**ELECTRIC DRILL****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	400W
No-load speed:	0-3900r/min
Chuck size:	6.5mm

SPECIFICATIONS

Weight:	1.23kg
Case pack:	10pcs
G.W./N.W.:	15.0kg/13.0kg
Carton size:	50.5x34.5x25cm

MODEL: 2110P**ELECTRIC DRILL****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	550W
No-load speed:	0-3300r/min
Chuck size:	10mm

SPECIFICATIONS

Weight:	1.35kg
Case pack:	10pcs
G.W./N.W.:	16.5kg/15.5kg
Carton size:	53x29x26cm

MODEL: 2113**IMPACT DRILL****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	550W
No-load speed:	0-3000r/min
Chuck size:	13mm

SPECIFICATIONS

Weight:	1.75kg
Case pack:	10pcs
G.W./N.W.:	21.0kg/20.0kg
Carton size:	53x36.5x26cm

MODEL: 2113A**IMPACT DRILL****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	710W
No-load speed:	0-3000r/min
Chuck size:	13mm

SPECIFICATIONS

Weight:	2.15kg
Case pack:	5pcs
G.W./N.W.:	16.3kg/14.3kg
Carton size:	49x36.5x29cm

MODEL: 2113P**IMPACT DRILL****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	550W
No-load speed:	0-2800r/min
Chuck size:	13mm

SPECIFICATIONS

Weight:	1.68kg
Case pack:	10pcs
G.W./N.W.:	22.0kg/16.8kg
Carton size:	59x40x28cm

MODEL: 2116A

ELECTRIC DRILL



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1200W
No-load speed:	0-1050r/min
Chuck size:	16mm

SPECIFICATIONS

Weight:	2.98kg
Case pack:	5pcs
G.W./N.W.:	21.8kg/20.5kg
Carton size:	62x42x36cm

MODEL: 2126B

ROTARY HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	800W
No-load speed:	0-1100r/min
Chuck size:	26mm
Tool holder:	SDS-Plus

SPECIFICATIONS

Weight:	3.1kg
Case pack:	4pcs
G.W./N.W.:	22.0kg/21.0kg
Carton size:	48x44.5x30cm

MODEL: 2128

ROTARY HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	850W
No-load speed:	0-1300r/min
Chuck size:	28mm
Tool holder:	SDS-Plus

SPECIFICATIONS

Weight:	3.1kg
Case pack:	4pcs
G.W./N.W.:	22.0kg/21.0kg
Carton size:	48.5x45x32cm

MODEL: 2128B

ROTARY HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1100W
No-load speed:	0-900r/min
Chuck size:	28mm
Tool holder:	SDS-Plus

SPECIFICATIONS

Weight:	3.5kg
Case pack:	4pcs
G.W./N.W.:	15.0kg/14.0kg
Carton size:	43.5x39.5x35.5cm

MODEL: 2132B

ROTARY HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1500W
No-load speed:	0-850r/min
Chuck size:	32mm
Tool holder:	SDS-Plus

SPECIFICATIONS

Weight:	8.0kg
Case pack:	3pcs
G.W./N.W.:	24.5kg/24kg
Carton size:	44x44.5x36cm

MODEL: 2132P

ROTARY HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1150W
No-load speed:	0-920r/min
Chuck size:	32mm
Tool holder:	SDS-Plus

SPECIFICATIONS

Weight:	5.2kg
Case pack:	3pcs
G.W./N.W.:	22kg/24kg
Carton size:	44.5x40.5x34.7cm

MODEL: 2135P

DEMOLITION HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1500W
No-load speed:	0-3900r/min
Blows per Minute:	3000BPM
Chuck size:	17mm
Tool holder:	Hex

SPECIFICATIONS

Weight:	6.5kg
Case pack:	3pcs
G.W./N.W.:	27.3kg/26.6kg
Carton size:	51x39.5x33cm

MODEL: 2140

ROTARY HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1250W
No-load speed:	0-450r/min
Impact Energy:	10J
Blows per Minute:	2800BPM
Chuck size:	40mm
Tool holder:	SDS-Max

SPECIFICATIONS

Weight:	7.45kg
Case pack:	2pcs
G.W./N.W.:	26.4kg/25.0kg
Carton size:	51.5x29.5x38cm

MODEL: 2142P

DEMOLITION HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1500W
Impact Energy:	25J
Blows per Minute:	1900BPM
Chuck size:	65mm
Tool holder:	SDS-Max

SPECIFICATIONS

Weight:	10.98kg
Case pack:	1pc
G.W./N.W.:	15.56kg/16.56kg
Carton size:	66.5x47.5x18.5cm

MODEL: 2185

DEMOLITION HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2500W
Impact Energy:	48J
Max impact rate:	0-1800BPM
Chuck size:	30mm Hex

SPECIFICATIONS

Weight:	14.2kg
Case pack:	1pc
G.W./N.W.:	21.25kg/20.25kg
Carton size:	72x17.5x31cm

MODEL: 2185A

DEMOLITION HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1350W
Impact Energy:	45J
Max impact rate:	0-1900BPM
Chuck size:	30mm Hex

SPECIFICATIONS

Weight:	13.7kg
Case pack:	1pc
G.W./N.W.:	21.0kg/20.0kg
Carton size:	71x17x31cm

MODEL: 2195

DEMOLITION HAMMER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1240W
Impact Energy:	45J
Max impact rate:	0-1800BPM
Chuck size:	30mm Hex

SPECIFICATIONS

Weight:	12.5kg
Case pack:	1pc
G.W./N.W.:	18.5kg/17.5kg
Carton size:	71x17x30cm

MODEL: 3110P**MARBLE CUTTER****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1400W
No-load speed: 1300r/min
Bore size: 0-34mm
Blade size: 105-115mm

SPECIFICATIONS

Weight: 3.0kg
Case pack: 4pcs
G.W./N.W.: 16.0kg/14.0kg
Carton size: 49.5x24x38.5cm

MODEL: 2125**BENCH GRINDER****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 180W
No-load speed: 2840r/min
Wheel size: 125mm
Spindle thread: M14

SPECIFICATIONS

Weight: 7.0kg
Case pack: 2pcs
G.W./N.W.: 15kg/14kg
Carton size: 40.5x36x29cm

MODEL: 2150**BENCH GRINDER****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 250W
No-load speed: 2840r/min
Wheel size: 150mm
Spindle thread: M14

SPECIFICATIONS

Weight: 8.0kg
Case pack: pc
G.W./N.W.: 9.0kg/8.0kg
Carton size: 34x21x28cm

MODEL: 2200**BENCH GRINDER****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 370W
No-load speed: 2840r/min
Wheel size: 200mm
Spindle thread: M14

SPECIFICATIONS

Weight: 15.0kg
Case pack: 1pc
G.W./N.W.: 16.0kg/15.0kg
Carton size: 40.5x24x32cm

MODEL: 6355A**CUT-OFF MACHINE****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 2200W
No-load speed: 3800r/min
Wheel size: 355mm

SPECIFICATIONS

Weight: 13.9kg
Case pack: 1pc
G.W./N.W.: 15.0kg/14.5kg
Carton size: 54x30.5x40.3cm

MODEL: 6355B**CUT-OFF MACHINE****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 2400W
No-load speed: 3900r/min
Wheel size: 355mm

SPECIFICATIONS

Weight: 17.2kg
Case pack: 1pc
G.W./N.W.: 18.5kg/18.0kg
Carton size: 57x34x42.5cm

MODEL: 6355C**CUT-OFF MACHINE****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 2400W
No-load speed: 3900r/min
Wheel size: 355mm

SPECIFICATIONS

Weight: 18.8kg
Case pack: 1pc
G.W./N.W.: 21.0kg/20.0kg
Carton size: 57.5x44x43.5cm

MODEL: 6400B**CUT-OFF MACHINE****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 2200W
No-load speed: 2850r/min
Disc diameter: 235mm

SPECIFICATIONS

Weight: 47.0kg
Case pack: 1pc
G.W./N.W.: 54.5kg/47.0kg
Carton size: 70.8x55.6x41.5cm

MODEL: 3255**MITER SAW****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1800W
No-load speed: 5000r/min
Blade size: 255mm

SPECIFICATIONS

Weight: 8.72kg
Case pack: 1pc
G.W./N.W.: 11.0kg/8.7kg
Carton size: 57x43.5x43.5cm

MODEL: 3255P**MITER SAW****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1800W
No-load speed: 4700r/min
Blade size: 255mm

SPECIFICATIONS

Weight: 13.5kg
Case pack: 1pc
G.W./N.W.: 15.4kg/13.5kg
Carton size: 59.5x44x43.5cm

MODEL: 3255S**MITER SAW****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1800W
No-load speed: 5300r/min
Blade size: 255mm

SPECIFICATIONS

Weight: 17.5kg
Case pack: 1pc
G.W./N.W.: 19.0kg/17.5kg
Carton size: 90x52x42cm

MODEL: 3185P**CIRCULAR SAW****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1400W
No-load speed: 4800r/min
Blade size: 185mm

SPECIFICATIONS

Weight: 4.8kg
Case pack: 4pcs
G.W./N.W.: 21.23kg/20.23kg
Carton size: 51.5x33.5x37.2cm

MODEL: 3235P**CIRCULAR SAW****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2400W
No-load speed:	4300r/min
Blade size:	235mm

SPECIFICATIONS

Weight:	6.8kg
Case pack:	2pcs
G.W./N.W.:	16.45kg/15.45kg
Carton size:	58.8x40.7x21cm

MODEL: 5110**ORBITAL SANDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	270W
No-load speed:	16500r/min
Pad size:	100x110mm

SPECIFICATIONS

Weight:	1.35kg
Case pack:	12pcs
G.W./N.W.:	18.5kg/18.8kg
Carton size:	61.5x25.5x32cm

MODEL: 5185**ORBITAL SANDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	320W
No-load speed:	14000r/min
Pad size:	93x185mm

SPECIFICATIONS

Weight:	1.8kg
Case pack:	10pcs
G.W./N.W.:	21.0kg/20.0kg
Carton size:	52x28.5x34.5cm

MODEL: 3565**JIG SAW****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	600W
No-load speed:	500-3000r/min
Capacity wood:	65mm
Capacity steel:	6mm

SPECIFICATIONS

Weight:	2.4kg
Case pack:	6pcs
G.W./N.W.:	20.5kg/19.0kg
Carton size:	58x35x30cm

MODEL: 3511P**JIG SAW****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	750W
No-load speed:	800-3000r/min
Capacity wood:	100mm
Capacity steel:	10mm

SPECIFICATIONS

Weight:	3.0kg
Case pack:	6pcs
G.W./N.W.:	19.5kg/18.5kg
Carton size:	55.8x33x25cm

MODEL: 5113**ELECTRIC PLANER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1200W
No-load speed:	16000r/min
Max planning depth:	3mm
Max planning width:	110mm

SPECIFICATIONS

Weight:	4.48kg
Case pack:	2pcs
G.W./N.W.:	12.0kg/10.0kg
Carton size:	48x41x24.5cm

MODEL: 5821**ELECTRIC PLANER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	560W
No-load speed:	16000r/min
Max planning depth:	1mm
Max planning width:	82mm

SPECIFICATIONS

Weight:	2.55kg
Case pack:	4pcs
G.W./N.W.:	14.5kg/11.0kg
Carton size:	37x35x38cm

MODEL: 5406**TRIMMER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	550W
No-load speed:	3000r/min
Collect size:	6mm

SPECIFICATIONS

Weight:	1.55kg
Case pack:	10pcs
G.W./N.W.:	21.5kg/20.5kg
Carton size:	57x34.5x32cm

MODEL: 5308P**ELECTRIC ROUTER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1200W
No-load speed:	25000r/min
Chuck size:	8mm

SPECIFICATIONS

Weight:	4.2kg
Case pack:	2pcs
G.W./N.W.:	9.5kg/8.5kg
Carton size:	37.5x28x22cm

MODEL: 5312**ELECTRIC ROUTER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1500W
No-load speed:	23000r/min
Chuck size:	12mm

SPECIFICATIONS

Weight:	5.4kg
Case pack:	4pcs
G.W./N.W.:	27.0kg/25.0kg
Carton size:	54x42.5x28.5cm

MODEL: 2219**ROTARY TOOL KIT****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	125W
No-load speed:	24000-35000r/min
Chuck size:	3mm

SPECIFICATIONS

Weight:	600g
Case pack:	10pcs
G.W./N.W.:	18.5kg/16.0kg
Carton size:	70x35.5x31cm

MODEL: 2625**DIE GRINDER****DESCRIPTION**

Voltage:	220-240V
Frequency:	50/60Hz
Power:	750W
No-load speed:	35000r/min
Chuck size:	6mm

SPECIFICATIONS

Weight:	1.76kg
Case pack:	10pcs
G.W./N.W.:	21.0kg/20.0kg
Carton size:	52x42x22cm

MODEL: 6185P

POLISHER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1400W
No-load speed:	1500-3800r/min
Disc size:	180mm
Spindle thread:	M14

SPECIFICATIONS

Weight:	3.6kg
Case pack:	4pcs
G.W./N.W.:	17.35kg/16.65kg
Carton size:	49.5x30x28cm

MODEL: 4001

BLOWER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	710W
No-load speed:	13000r/min
Blower rate:	2.5m³/min

SPECIFICATIONS

Weight:	1.8kg
Case pack:	6pcs
G.W./N.W.:	14.0kg/13.0kg
Carton size:	59x32x40cm

MODEL: 3016B

ELECTRIC CHAIN SAW



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2000W
Saw chain speed:	8M/S
Chain length:	16"

SPECIFICATIONS

Weight:	5.16kg
Case pack:	4pcs
G.W./N.W.:	24.0kg/23.0kg
Carton size:	49x47.6x42cm

MODEL: 3020A/3020B

GASOLINE CHAIN SAW



DESCRIPTION

Power:	2.4KW
Displacement:	58CC
No-load speed:	13500r/min
Bar length:	20"
Max speed:	13500±500rpm
Chain/Guide bar pitch gauge:	3/8"-72/0.325-76

SPECIFICATIONS

Weight:	6.55kg
Case pack:	2pcs
G.W./N.W.:	17.0kg/12.5kg
Carton size:	51.5x44x30.5cm

MODEL: 170F-1

GASOLING ENGINE

DESCRIPTION

Power:	2-4HP
Selection pump:	3pcsx30mm
Pressure(kg/cm²):	20-35
Output:	30-45L/min
Handgun length:	85cm
Hose:	30m
Water inlet hose:	2pcsx2.5m

SPECIFICATIONS

Weight:	11.0kg
Case pack:	1pc
G.W./N.W.:	30.0kg/29.0kg
Carton size:	*x*x*cm

MODEL: CG520C

GASOLINE LAWN MOVER



DESCRIPTION

Power:	5.75HP
Displacement:	173CC
Dry typr:	4 stroke engine
Cutting height:	25-75mm,6position
Cutting width:	460mm(18inch)
Engine:	2-cycle
Collection:	65L

SPECIFICATIONS

Weight:	34.9kg
Case pack:	1pc
G.W./N.W.:	35.9kg/34.9kg
Carton size:	76x59x46cm

MODEL: CG520

GASOLINE GRASS TRIMMER



DESCRIPTION

Power:	1.4KW
Displacement:	52CC
No-load speed:	3000r/min
Cutter diameter of blade:	255mm(3T)
Cutter diameter of trimmer head:	430mm
Gasoline mixed with 2 cycle oil:	25:1

SPECIFICATIONS

Weight:	15.0kg
Case pack:	1pc
G.W./N.W.:	17.5kg/15.0kg
Carton size:	66x38.5x40cm

MODEL: CG520C

GASOLINE GRASS TRIMMER



DESCRIPTION

Power:	1.4KW
Displacement:	52CC
No-load speed:	3000r/min
Cutting width(blade):	255mm(3T)
Cutting width(trimmer):	430mm
Engine:	2-cycle
Tank volume:	1200ml

SPECIFICATIONS

Weight:	5.5kg
Case pack:	1pc
G.W./N.W.:	6.5kg/5.0kg
Carton size:	33.5x32x25cm

MODEL: EA520

EARTH AUGER



DESCRIPTION

Power:	1.4 KW
Displacement:	52 CC
No-load speed:	3000 r/min
Fuel tank capacity:	1200 ml
Auger speed:	110-280 r/min
Gasoline mixed with 2 cycle oil:	25:1

SPECIFICATIONS

Weight:	9.0kg
Case pack:	1pc
G.W./N.W.:	11.0kg/9.0kg
Carton size:	56x34x39cm

MODEL: 3135

WALL CHASER



DESCRIPTION

Voltage:	220V
Frequency:	50Hz
Power:	2600W
No-load speed:	6500r/min
Bore size:	135mm
Depth size:	38mm
Width size:	42mm

SPECIFICATIONS

Weight:	6.95kg
Case pack:	2pcs
G.W./N.W.:	20.7kg/19.7kg
Carton size:	61x57x34cm

MODEL: 3150

RECIPROCATING SAW



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	900W
No-load speed:	0-2800r/min
Bevel cut:	0-180°
Stroke length:	22mm
Cutting depth:	150mm

SPECIFICATIONS

Blade size:	150x19x1.2mm(2pcs)
Weight:	2.55kg
Case pack:	4pcs
G.W./N.W.:	12.0kg/11.0kg
Carton size:	49x39x18cm

MODEL: 2201

ELECTRIC MIXER



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1200W
No-load speed:	0-700r/min
Spindle thread:	M14

SPECIFICATIONS

Weight:	4.2kg
Case pack:	2pcs
G.W./N.W.:	11.0kg/10.9kg
Carton size:	39x33x51cm

MODEL: 2202

ELECTRIC MIXER



DESCRIPTION

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1400W
No-load speed: 800r/min
Spindle thread: M14

SPECIFICATIONS

Weight: 6.9kg
Case pack: 2pcs
G.W./N.W.: 17.4kg/16.4kg
Carton size: 61x34x52cm

MODEL: 2335B

VIBRATOR



DESCRIPTION

Voltage: 220-240V
Frequency: 50/60Hz
Power: 700W
No-load speed: 4300r/min
Armature size: 41.2 72x59mm

SPECIFICATIONS

Weight: 1.85kg
Case pack: 10 pcs
G.W./N.W.: 19.5kg/18.5kg
Carton size: 76.7x37.3x22.8cm

MODEL: 8212A

CORDLESS DRILL



DESCRIPTION

Battery: Li-ion
Battery voltage: 12V
Battery capacity: 1.5Ah
Max torque: 22Nm
Chuck size: 10mm
No-load speed: 0-1350r/min

SPECIFICATIONS

Weight: 1.5kg
Case pack: 8pcs
G.W./N.W.: 17.5kg/16.5kg
Carton size: 61x36x27.5cm

MODEL: 8220A

CORDLESS DRILL



DESCRIPTION

Battery: Li-ion
Battery voltage: 20V
Battery capacity: 1.5Ah
Max torque: 40Nm
Chuck size: 10mm
No-load speed: 0-1800r/min

SPECIFICATIONS

Weight: 1.5kg
Case pack: 8pcs
G.W./N.W.: 21.45kg/19.45kg
Carton size: 61x36x27.5cm

MODEL: 8220B

CORDLESS DRILL (BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 2.0Ah
Max torque: 48Nm
Chuck size: 10mm
No-load speed: 500-1800r/min

SPECIFICATIONS

Weight: 0.902kg
Case pack: 10pcs
G.W./N.W.: 11.5kg/10.5kg
Carton size: 42x23x41cm

MODEL: 1001F

CORDLESS PRUNER SHEARS



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 1.5Ah
Shear force: 250N
Max cutting size: 30mm
No-load speed: 0-2500r/min

SPECIFICATIONS

Weight: 1.2kg
Case pack: 10pcs
G.W./N.W.: 24.5/23.5kg
Carton size: 48x35x52.5cm

MODEL: 8110F

ANGLE GRINDER (BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 3.0Ah
Disc size: 100mm
No-load speed: 0-9000r/min
Spindle thread: M10

SPECIFICATIONS

Weight: 4.6kg
Case pack: 5pcs
G.W./N.W.: 24.0/23.0kg
Carton size: 66x41x32cm

MODEL: 8125F

ANGLE GRINDER (BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 3.0Ah
Disc size: 115-125mm
No-load speed: 0-9000r/min
Spindle thread: M14

SPECIFICATIONS

Weight: 4.5kg
Case pack: 5pcs
G.W./N.W.: 24.0/23.0kg
Carton size: 66x41x32cm

MODEL: 8201F

CORDLESS HAMMER (BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 21V
Battery capacity: 4.0Ah
Chuck size: 10-28mm
Impact energy: 2.0 J
No-load speed: 0-850r/min
Blows per min: 0-5000BPM

SPECIFICATIONS

Weight: 5.0kg
Case pack: 4pcs
G.W./N.W.: 22.0/20.0kg
Carton size: 47.5x43x55.5cm

MODEL: 8202F

IMPACT WRENCH (BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 3.0Ah
Max torque: 300N.M
Bit holder: 1/2" (12.5mm)
No-load speed: 0-3200r/min
Blows per min: 0-3200BPM

SPECIFICATIONS

Weight: 2.0kg
Case pack: 5pcs
G.W./N.W.: 21.0/20.0kg
Carton size: 53x35.5x32cm

MODEL: 8203F

CORDLESS ELECTRIC DRIVER (BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 4.0Ah
Max torque: 230N.m
No-load speed: 0-1350/2000/2800/3200r/min
Bit holder: 1/4"

SPECIFICATIONS

Weight: 4.4kg
Case pack: 5pcs
G.W./N.W.: 23.0/22.0kg
Carton size: 58x38.2x28.5cm

MODEL: 8208F

IMPACT WRENCH (BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 4.0Ah
Max torque: 800N.m
Impact rate: 3400BPM
Bit holder: 1/2" (12.5mm)

SPECIFICATIONS

Weight: 4.4kg
Case pack: 5pcs
G.W./N.W.: 23.0/22.0kg
Carton size: 58x38.2x28.5cm

MODEL: 8212F

CORDLESS DRILL



DESCRIPTION

Battery: Li-ion
Battery voltage: 12V
Battery capacity: 1.5Ah
Max torque: 15N.M
Chuck size: 10mm
No-load speed: 0-350/0-1300r/min

SPECIFICATIONS

Weight: 2.1kg
Case pack: 10pcs
G.W./N.W.: 22.0/21.0kg
Carton size: 50x34x60cm

MODEL: 8216F

CORDLESS DRILL
(BRUSHLESS)



DESCRIPTION

Battery: Li-ion
Battery voltage: 16.8V
Battery capacity: 1.5Ah
Max torque: 40N.M
Chuck size: 10mm
No-load speed: 0-380/0-1400r/min

SPECIFICATIONS

Weight: 2.1kg
Case pack: 10pcs
G.W./N.W.: 22.0/21.0kg
Carton size: 47x31.5x51.5cm

MODEL: 8005F

CORDLESS SANDER
(BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 4.0Ah
No-load speed: 7000-11000r/min
Size of cushion: 125mm
Eccentricity: 3

SPECIFICATIONS

Weight: 1.45kg
Case pack: 10pcs
G.W./N.W.: 16.5/14.5kg
Carton size: 42x21.5x44cm

MODEL: 8185F

CORDLESS CIRCULAR SAW
(BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 4.0Ah
No-load speed: 4500r/min
Max blade diameter: 185mm
Max cutting depth: 63.5mm/90°
44.5mm/45°

SPECIFICATIONS

Weight: 4.4kg
Case pack: 4pcs
G.W./N.W.: 23.0/22.0kg
Carton size: 54x39x48cm

MODEL: 8220F

CORDLESS DRILL
(BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 1.5Ah
Max torque: 40N.M
Chuck size: 10mm
No-load speed: 0-450/0-1750r/min

SPECIFICATIONS

Weight: 1.5kg
Case pack: 10pcs
G.W./N.W.: 15.65/14.65kg
Carton size: 54x33x37cm

MODEL: 8320F

CORDLESS DRILL
(BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 3.0Ah
Max torque: 90N.M
Chuck size: 13mm
No-load speed: 0-500/0-2000r/min

SPECIFICATIONS

Weight: 1.82kg
Case pack: 5pcs
G.W./N.W.: 23.5/22.5kg
Carton size: 59x37x30cm

MODEL: 8365F

CORDLESS JIG SAW
(BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 4.0Ah
No-load speed: 1000-2900r/min
Stroke length: 18mm
Cutting capacity: Wood 65mm/Aluminium 4mm/Steel 2mm

SPECIFICATIONS

Weight: 3.7kg
Case pack: 5pcs
G.W./N.W.: 20.5/18.5kg
Carton size: 42x21.5x44cm

MODEL: 8505F

CORDLESS TILE VIBRATION
MACHINE



DESCRIPTION

Battery voltage: 20V
Battery capacity: 2.0Ah
Vibrating frequency: 3500-8500r/min
Switch: 1-12 Speeds
Sucker size: 123mm
Adsorption capacity: 60kg/132lbs

SPECIFICATIONS

Weight: 1.36kg
Case pack: 6pcs
G.W./N.W.: 20.5/19.5kg
Carton size: 53x42.5x53cm

MODEL: 8600F

CORDLESS GREASE GUN
(BRUSHLESS)



DESCRIPTION

Battery voltage: 20V
Battery capacity: 3.0Ah
Capacity: 600cc
Power: 200W
Max. pressure: 12000psi
Work pressure: 6000-8000psi

SPECIFICATIONS

Weight: 4.6kg
Case pack: 5pcs
G.W./N.W.: 24.0/22.0kg
Carton size: 63x33x48.5cm

MODEL: 8820F

CORDLESS SPRAY GUN



DESCRIPTION

Battery voltage: 20V
Battery capacity: 3.0Ah
No-load speed: 30000rpm
Nozzle: 1.8mm
Container volume: 800ml
Max. viscosity: 80 DIN/Sec

SPECIFICATIONS

Weight: 1.6kg
Case pack: 6pcs
G.W./N.W.: 10.5/9.5kg
Carton size: 53x27.5x42cm

MODEL: 4001F

CORDLESS BLOWER



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 1.5Ah
Air volume: 2.3m³/min
No-load speed: 0-1900r/min

SPECIFICATIONS

Weight: 5.0kg
Case pack: 6pcs
G.W./N.W.: 31.0/30.0kg
Carton size: 63x42x37cm

MODEL: 4002F

CORDLESS PORTABLE
BLOWER(BRUSHLESS)



DESCRIPTION

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 4.0Ah
No-load speed: 18500r/min
Blowing rate: 3400BPM
Wind speed: 52m/s

SPECIFICATIONS

Weight: 8.0kg
Case pack: 2pcs
G.W./N.W.: 18.0/16.0kg
Carton size: 44.5x42.5x51.5cm

MODEL: 8406F**CORDLESS CHAIN SAW
(BRUSHLESS)****DESCRIPTION**

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 3.0Ah
Input power: 450W
Speed: 8m/s
Chain Size: 6inch
Max Cutting: 140mm

SPECIFICATIONS

Weight: 1.5kg
Case pack: 10pcs
G.W./N.W.: 15.65/14.65kg
Carton size: 57x40x55.5cm

MODEL: 8408F**CORDLESS CHAIN SAW
(BRUSHLESS)****DESCRIPTION**

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 3.0Ah
Input power: 500W
Speed: 8m/s
Chain Size: 8inch
Max Cutting: 190mm

SPECIFICATIONS

Weight: 1.5kg
Case pack: 10pcs
G.W./N.W.: 15.65/14.65kg
Carton size: 49x41x59cm

MODEL: 8701F**CAR WASHER****DESCRIPTION**

Battery: Li-ion Brushless
Battery voltage: 20V
Battery capacity: 3.0Ah/4.0Ah
Input power: 220W
No-load speed: 15000r/min
Flow rate: 3.5L/min
Work pressure: 1.5Mpa

SPECIFICATIONS

Weight: --kg
Case pack: 5pcs
G.W./N.W.: --kg
Carton size: 74x40.5x34.5cm

MODEL: 3014A**SPRAYER ELECTRIC****DESCRIPTION**

Battery: Li-ion
Battery voltage: 12V
Battery capacity: 8.0Ah
Capacity: 14L
Max pressure: 80psi

SPECIFICATIONS

Weight: 3.0kg
Case pack: 1pc
G.W./N.W.: 4.5/3.0kg
Carton size: 37x20x47cm

MODEL: 3135A**SPRAYER ELECTRIC
&MANUAL****DESCRIPTION**

Battery: Li-ion
Battery voltage: 12V
Battery capacity: 8.0Ah
Capacity: 14L
Max pressure: 80psi

SPECIFICATIONS

Weight: 3.0kg
Case pack: 1pc
G.W./N.W.: 4.7/3.0kg
Carton size: 37x20x51cm

MODEL: 8512**LITHIUM-ION BATTERY
LASER LEVELING MACHINE****DESCRIPTION**

Laser Beam: 12 Blue/3D(360°x3)
Accuracy: ±0.2mm/10m
Automatic Leveling Range: ±3
Indoor Working Distance: 515mm
Waterproof Level: IP-54
Working distance: 25m
Working time: 5 hours
Temperature Range: -20°C to 50°C

SPECIFICATIONS

Weight: 1.9kg
Case pack: 10pcs
G.W./N.W.: 20.0/19.0kg
Carton size: 65x32x59cm

MODEL: 8516**LITHIUM-ION BATTERY
LASER LEVELING MACHINE****DESCRIPTION**

Laser Beam: 16 Blue/4D(360°*4)
Accuracy: ±0.2mm/10m
Automatic Leveling Range: ±3
Indoor Working Distance: 515mm
Waterproof Level: IP-54
Working distance: 25m
Working time: 5 hours
Temperature Range: -20°C to 50°C

SPECIFICATIONS

Weight: 1.9kg
Case pack: 10pcs
G.W./N.W.: 20.0/19.0kg
Carton size: 65x32x59cm

MODEL: 8605F**LITHIUM-ION BATTERY
LASER LEVER****DESCRIPTION**

Function introduction: 4V1H
Laser diode: 515nm(green light)
Centering point accuracy: 3m±1mm
Line width: 5m±2mm
Horizontal self-leveling range: ±3°
Horizontal self-leveling time: ≤5s
Shooting angle: ≥120°
Temperature Range: -20°C to 50°C

SPECIFICATIONS

Weight: 1.9kg
Case pack: 10pcs
G.W./N.W.: 20.0/19.0kg
Carton size: 65x32x59cm

MODEL: 8612F/8616F**LITHIUM-ION BATTERY
LASER LEVER****DESCRIPTION**

Radium rays: 360°x3 12/16(30)
Horizontal/Vertical accuracy: ±0.2mm/10m
Wavelength: 515nm (green light)
Automatic leveling range: ±3m
Waterproof grade: IP-54
Scope of work: About 25m in diameter
Green light working temperature: -5°C ~ 50°C
Blue/Red light working temperature: -20°C to 50°C

SPECIFICATIONS

Weight: 1.9kg
Case pack: 10pcs
G.W./N.W.: 20.0/19.0kg
Carton size: 65x32x59cm

MODEL: 5230**DRYWALL SANDER****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1050W
No-load speed: 1000-2100r/min
Diameter: 215mm

SPECIFICATIONS

Weight: 5.3kg
Case pack: 1 pc
G.W./N.W.: 6.5kg/5.3kg
Carton size: 108x33x19cm

MODEL: 5230S**DRYWALL SANDER****DESCRIPTION**

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1050W
No-load speed: 1000-2100r/min
Diameter: 215mm

SPECIFICATIONS

Weight: 6.2kg
Case pack: 1 pc
G.W./N.W.: 9.7kg/8.7kg
Carton size: 76.7x37.3x22.8cm

MODEL: EMS-60**LITHIUM BATTERY
CABLE SCISSORS****DESCRIPTION**

Voltage: 18V
Charge voltage: 100-240VAC
Accessories: 2pcs batteries, 1pc charge
Charging time: 2 hours
Cutting times: 125 times
Cutting range: 60mm max, single core copper aluminum wire

SPECIFICATIONS

Weight: 8.0kg
Case pack: 1pc
G.W./N.W.: 8.5/8.0kg
Carton size: 51.5x38x17.4cm

MODEL: EA-400B

CABLE HYDRAULIC CRIMPING TOOL SET



DESCRIPTION

Voltage/capacity: 18V/4.0Ah
Crimping force: 120KN
Stroke: 35mm
Crimping cycle: 6-18 s
Crimping time: 120 times
Crimping dies: 16,25,35,50,70,95,120,150,185,240,300mm

SPECIFICATIONS

Weight: 13.9kg
Case pack: 1pc
G.W./N.W.: 14.4/13.9kg
Carton size: 63x36.5x11.6cm

MODEL: EB-300

CABLE HYDRAULIC CRIMPING TOOL SET



DESCRIPTION

Voltage/capacity: 18V/4.0Ah
Crimping force: 60KN
Stroke: 17mm
Crimping cycle: 6-18 s
Crimping time: 120 times
Crimping dies: 16,25,35,50,70,95,120,150,185,240,300mm

SPECIFICATIONS

Weight: 12.6kg
Case pack: 1pc
G.W./N.W.: 13.1/12.6kg
Carton size: 65x48.5x18cm

MODEL: GES-600UNV

CABLE HYDRAULIC CRIMPING TOOL SET



DESCRIPTION

Voltage/capacity: 18V/4.0Ah
Crimping force: 60KN
Stroke: 42mm
Crimping cycle: 3-15 s
Crimping time: 160 times
Crimping dies: 16,25,35,50,70,95,120,150,185,240,300mm

SPECIFICATIONS

Weight: 15.8kg
Case pack: 1pc
G.W./N.W.: 16.3/15.8kg
Carton size: 65x48.5x18cm

MODEL: 8361

CORDLESS SCREWDRIVER SET



DESCRIPTION

Battery voltage: 3.6V
Battery capacity: 1200MAH Li-ion
Out speed: 220rpm
Charging time: <150min
Max. torque: 1-1.5N.m by electric/8N.m by manual

SPECIFICATIONS

Weight: 170g
Case pack: 20 set
G.W./N.W.: 15.0/14.0kg
Carton size: 47.5x31.5x29cm

MODEL: W034200A

HEAT GUN



DESCRIPTION

Voltage: 220-240V
Frequency: 50/60Hz
Power: 2000W
TempSetting: Switch 1:50-400 °C
Switch 2:50-600 °C
Air Flow: Switch 1:210-250L/Min
Switch 2:240-380L/Min

SPECIFICATIONS

Case pack: 10pcs
G.W./N.W.: 11.5kg/10.5kg
Carton size: 54x40x28.5cm

MODEL: WH180

HIGH PRESSURE WASHER



DESCRIPTION

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1280W
Max pump pressurer: 90Bar
Flow rate: 360L/H

SPECIFICATIONS

Weight: 12.0kg
Case pack: 1pc
G.W./N.W.: 12.5kg/12.0kg
Carton size: 39.5x19.5x38.5cm

MODEL: WH1500

HIGH PRESSURE WASHER



DESCRIPTION

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1500W
Max pump pressurer: 115Bar
Flow rate: 540L/H

SPECIFICATIONS

Weight: 12.0kg
Case pack: 1pc
G.W./N.W.: 12.5kg/12.0kg
Carton size: 41x19.5x37.5cm

MODEL: WH2800

HIGH PRESSURE WASHER HAND-PUSH TYPE



DESCRIPTION

Voltage: 220-240V
Frequency: 50/60Hz
Power: 2800W
Max pump pressurer: 160Bar
Flow rate: 1080L/H

SPECIFICATIONS

Weight: 42kg
Case pack: 1pc
G.W./N.W.: 43kg/42kg
Carton size: 63x35.5x46cm

MODEL: WA170

GASOLINE CAR WASHER



DESCRIPTION

Voltage: 220-240V
Frequency: 50/60Hz
Power: 7.5HP
Max pump pressurer: 200Bar
PSI: 2900

SPECIFICATIONS

Weight: 31.3kg
Case pack: 1pc
G.W./N.W.: 32.3kg/31.3kg
Carton size: 65x41.5x55cm

MODEL: WH1400A

HIGH PRESSURE WASHER



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Input power: 1400W
Max. pressurer: 110 Bar
Max flow rate: 6.5 Ltr/min

SPECIFICATIONS

Weight: 4.9kg
Case pack: 1pc
G.W./N.W.: 6.5kg/5.5kg
Carton size: 29.5x28x57cm

MODEL: WH1400B

HIGH PRESSURE WASHER



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Input power: 1400W
Max. pressurer: 110 Bar
Max flow rate: 6.5 Ltr/min

SPECIFICATIONS

Weight: 4.6kg
Case pack: 1pc
G.W./N.W.: 5.6kg/4.6kg
Carton size: 27x24.5x46cm

MODEL: 70001

VEHICLE-MOUNTED AIR PUMP



DESCRIPTION

Voltage: 12.8V
Current range: ≤20A
Rated duty: 33%
Max. pressurer: 150 PSI
Air flow: 60 L/min

SPECIFICATIONS

Weight: 2.62kg
Case pack: 8pcs
G.W./N.W.: 22.0kg/20.0kg
Carton size: 60.5x33x47cm

MODEL: 2062

PNEUMATIC SCREWDRIVER



DESCRIPTION

Chuck size:	1/4"(6.35mm)
No-load speed:	12000rpm
Torque:	20.4-51.2N/m
Air consumption:	170 L/min
Applicable thread size:	3/16"(5mm)
Inlet size:	1/4"
Pipe diameter:	3/8"
Operating pressure:	90 PSI

SPECIFICATIONS

Weight:	0.82kg
Case pack:	30pcs
G.W./N.W.:	26.0kg/24.0kg
Carton size:	46x25x26cm

MODEL: 2082

PNEUMATIC SCREWDRIVER



DESCRIPTION

Chuck size:	1/4"(6.35mm)
No-load speed:	8500rpm
Torque:	34-95.2N/m
Air consumption:	170 L/min
Applicable thread size:	5/16"(8mm)
Inlet size:	1/4"
Pipe diameter:	3/8"
Operating pressure:	90 PSI

SPECIFICATIONS

Weight:	1.1kg
Case pack:	20pcs
G.W./N.W.:	23.0kg/21.0kg
Carton size:	41x24.5x25cm

MODEL: W021020A

HOT MELT GLUE GUN



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	20W
Dia. Of Glue Stick:	6.8-7.2mm
Preheat time:	5-8mins
Flow of glue:	7.36g/min

SPECIFICATIONS

Weight:	180g
Case pack:	96pcs
G.W./N.W.:	19.7kg/17.7kg
Carton size:	50x48x62.5cm

MODEL: W021060A

HOT MELT GLUE GUN



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	60W
Dia. Of Glue Stick:	10.8-11.5mm
Preheat time:	5-8mins
Flow of glue:	17.05g/min

SPECIFICATIONS

Weight:	240g
Case pack:	48pcs
G.W./N.W.:	16.67kg/14.67kg
Carton size:	56x42.5x49cm

MODEL: W021080A

HOT MELT GLUE GUN



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	80W
Dia. Of Glue Stick:	10.8-11.5mm
Preheat time:	5-8mins
Flow of glue:	18.85g/min

SPECIFICATIONS

Weight:	260g
Case pack:	48pcs
G.W./N.W.:	17.5kg/15.5kg
Carton size:	63x43x45.5cm

MODEL: W041030A

SOLDERING IRON



DESCRIPTION

Voltage:	110-220V
Frequency:	50/60Hz
Power:	30W
Length:	220mm

SPECIFICATIONS

Weight:	162g
Case pack:	50pcs
G.W./N.W.:	11.46kg/9.46kg
Carton size:	45x35x45cm

MODEL: W041040A

SOLDERING IRON



DESCRIPTION

Voltage:	110-220V
Frequency:	50/60Hz
Power:	40W
Length:	240mm

SPECIFICATIONS

Weight:	176g
Case pack:	50pcs
G.W./N.W.:	12.0kg/10.0kg
Carton size:	45x35x45cm

MODEL: W041060A

SOLDERING IRON



DESCRIPTION

Voltage:	110-220V
Frequency:	50/60Hz
Power:	60W
Length:	250mm

SPECIFICATIONS

Weight:	186g
Case pack:	50pcs
G.W./N.W.:	12.7kg/10.7kg
Carton size:	45x35x45cm

MODEL: 71030

AIR COMPRESSOR



DESCRIPTION

Type:	Oil /100% Copper
Power:	2HP/1300W
Voltage:	220-240V
Frequency:	50Hz
Speed:	2850rpm
Capacity:	0.12m³/min

SPECIFICATIONS

Tank:	30L
Pressure:	8bar/116psi
Weight:	17.65kg
Case pack:	1pc
G.W./N.W.(KGS):	23.0kg/21.0kg
Carton size :	59.5x24x59cm

MODEL: 71050

AIR COMPRESSOR



DESCRIPTION

Type:	Oil /100% Copper
Power:	2HP/1300W
Voltage:	220-240V
Frequency:	50Hz
Speed:	2850rpm
Capacity:	0.12m³/min

SPECIFICATIONS

Tank:	50L
Pressure:	8bar/116psi
Weight:	25.0kg
Case pack:	1pc
G.W./N.W(KGS):	27.5kg/25.5kg
Carton size :	70x31x64cm

MODEL: 71100

AIR COMPRESSOR



DESCRIPTION

Type:	Oil
Power:	2200W/100% Copper
Voltage:	220-240V
Frequency:	50Hz
Speed:	1050rpm
Capacity:	320L/M

SPECIFICATIONS

Tank:	100L
Pressure:	8bar/116psi
Weight:	120kg Case
Case pack:	1pc
G.W./N.W(KGS):	109kg/105kg
Carton size :	131x54x91cm

MODEL: 71270

AIR COMPRESSOR



DESCRIPTION

Type:	Oil
Power:	2200W/100% Copper
Voltage:	220-240V
Frequency:	50Hz
Speed:	1050rpm
Capacity:	320L/M

SPECIFICATIONS

Tank:	270L
Pressure:	8bar/116psi
Weight:	55kg Case
Case pack:	1pc
G.W./N.W(KGS):	115kg/110kg
Carton size :	145x57x92cm

MODEL: 72030**AIR COMPRESSOR****DESCRIPTION**

Type: Ultra quiet/Oil-Free
Power: 1390W /100%Copper
Voltage: 220-240V
Frequency: 50Hz
Speed: 1450rpm
Capacity: 0.17m³/min

SPECIFICATIONS

Tank: 30L
Pressure: 8bar/116psi
Weight: 17.38kg
Case pack: 1pc
G.W/N.W(KGS): 24.0kg/17.5kg
Carton size : 58.5x27x56.5cm

MODEL: 72030C**AIR COMPRESSOR****DESCRIPTION**

Type: Ultra quiet/Oil-Free
Power: 1100W /100%Copper
Voltage: 220V
Frequency: 50Hz
Speed: 2800rpm
Capacity: 50L/min

SPECIFICATIONS

Tank: 30L
Pressure: 7bar
Weight: 15.85kg
Case pack: 1pc
G.W/N.W(KGS): 17.0kg/15.85kg
Carton size : 56x26x49cm

MODEL: 72050**AIR COMPRESSOR****DESCRIPTION**

Type: Ultra quiet/Oil-Free
Power: 1500W /100%Copper
Voltage: 220-240V
Frequency: 50Hz
Speed: 1450rpm
Capacity: 0.25m³/min

SPECIFICATIONS

Tank: 50L
Pressure: 8bar/116psi
Weight: 32.4kg
Case pack: 1pc
G.W/N.W(KGS): 34.5kg/32.5kg
Carton size : 70x31x65cm

MODEL: 72050C**AIR COMPRESSOR****DESCRIPTION**

Type: Ultra quiet/Oil-Free
Power: 1100Wx2/100%Copper
Voltage: 220V
Frequency: 50Hz
Speed: 2800rpm
Capacity: 50x2L/min

SPECIFICATIONS

Tank: 50L
Pressure: 7bar
Weight: 27.95kg
Case pack: 1pc
G.W/N.W(KGS): 29.8kg/27.95kg
Carton size : 69x30x53cm

MODEL: 72100**AIR COMPRESSOR****DESCRIPTION**

Type: Ultra quiet/Oil-Free
Power: 1500Wx2/100%Copper
Voltage: 220-240V
Frequency: 50Hz
Speed: 1450rpm
Capacity: 0.36M³/min

SPECIFICATIONS

Tank: 100L
Pressure: 8bar/116psi
Weight: 65.0kg
Case pack: 1pc
G.W/N.W(KGS): 67.0kg/65.0kg
Carton size : 92x42x83cm

MODEL: 72150**AIR COMPRESSOR****DESCRIPTION**

Type: Ultra quiet/Oil-Free
Power: 1500Wx3/100%Copper
Voltage: 220-240V
Frequency: 50Hz
Speed: 1450rpm
Capacity: 0.45m³/min

SPECIFICATIONS

Tank: 150L
Pressure: 8bar/116psi
Weight: 94.0kg
Case pack: 1pc
G.W/N.W(KGS): 107.0kg/94.0kg
Carton size : 129x42x88cm

MODEL: 72200**AIR COMPRESSOR****DESCRIPTION**

Type: Ultra quiet/Oil-Free
Power: 1600Wx4/100%Copper
Voltage: 220-240V
Frequency: 50Hz
Speed: 1050rpm
Capacity: 320L/M

SPECIFICATIONS

Tank: 200L
Pressure: 8bar/116psi
Weight: 120kg Case
Case pack: 1pc
G.W/N.W(KGS): 109kg/105kg
Carton size : 131x48x91cm

MODEL: 73050**AIR COMPRESSOR****DESCRIPTION**

Power: 1500W / 3HP
Voltage: 220-240V
Frequency: 60Hz
Speed: 960rpm
Capacity: 0.2M³/Min

SPECIFICATIONS

Tank: 50L
Pressure: 0.8mpa
Weight: 51kg Case
Case pack: 1pc
G.W/N.W(KGS): 57kg/51kg
Carton size : 106x43x78cm

MODEL: 73100**AIR COMPRESSOR****DESCRIPTION**

Power: 1600W / 3HP
Voltage: 220-240V
Frequency: 60Hz
Speed: 960rpm
Capacity: 0.2M³/Min

SPECIFICATIONS

Tank: 100L
Pressure: 0.8mpa
Weight: 63kg Case
Case pack: 1pc
G.W/N.W(KGS): 72.5kg/63kg
Carton size : 121x45x82cm

MODEL: 73200**AIR COMPRESSOR****DESCRIPTION**

Power: 2250W / 3HP
Voltage: 220-240V
Frequency: 60Hz
Speed: 1030rpm
Capacity: 0.25M³/Min

SPECIFICATIONS

Tank: 200L
Pressure: 0.8mpa
Weight: 86kg Case
Case pack: 1pc
G.W/N.W(KGS): 103.5kg/86kg
Carton size : 152x48x94cm

MODEL: 73300**AIR COMPRESSOR****DESCRIPTION**

Power: 2250W / 3HP
Voltage: 220-240V
Frequency: 60Hz
Speed: 1030rpm
Capacity: 0.25M³/Min

SPECIFICATIONS

Tank: 300L
Pressure: 0.8mpa
Weight: 113kg Case
Case pack: 1pc
G.W/N.W(KGS): 137kg/113kg
Carton size : 153x58x104cm

MODEL: K-3**SPRAY GUN****DESCRIPTION**

Size: 0.5mm
Cup Capacity: 100cc

SPECIFICATIONS

Weight: 315g
Case pack: 40pcs
G.W/N.W: 13.7kg/12.5kg
Carton size: 50x35.5x32cm

MODEL: S-75

SPRAY GUN

DESCRIPTION	
Size:	1.5mm
Air Inlet:	1/4"
Cup Capacity:	750CC
SPECIFICATIONS	
Weight:	486g
Case pack:	30pcs
G.W./N.W.:	20.0kg /18.0kg
Carton size:	64.5x42x37cm



MODEL: F-75G

SPRAY GUN

DESCRIPTION	
Size:	1.5mm
Air Inlet:	1/4"
Cup Capacity:	400ml
SPECIFICATIONS	
Weight:	456g
Case pack:	30pcs
G.W./N.W.:	15.8kg/13.7kg
Carton size:	66.5x43.5x37.5cm



MODEL: S-990

SPRAY GUN

DESCRIPTION	
Size:	1.5mm
Air Inlet:	1/4"
Cup Capacity:	750CC
SPECIFICATIONS	
Weight:	358g
Case pack:	20pcs
G.W./N.W.:	14.0kg /13.0kg
Carton size:	57x32x43cm



MODEL: S-990G

SPRAY GUN

DESCRIPTION	
Size:	1.5mm
Air Inlet:	1/4"
Cup Capacity:	600ml
SPECIFICATIONS	
Weight:	496g
Case pack:	20pcs
G.W./N.W.:	11.0kg/10.0kg
Carton size:	57x32x43cm



MODEL: 4001A

SPRAY GUN

DESCRIPTION	
Size:	1.8mm
Air Inlet:	1/4"
Cup Capacity:	1000CC
SPECIFICATIONS	
Weight:	740g
Case pack:	20pcs
G.W./N.W.:	20.0kg /19.0kg
Carton size:	58x35x61.5cm



MODEL: 4001B

SPRAY GUN

DESCRIPTION	
Size:	2.0mm
Air Inlet:	1/4"
Cup Capacity:	1000CC
SPECIFICATIONS	
Weight:	638g
Case pack:	20pcs
G.W./N.W.:	17.0kg /16.0kg
Carton size:	58x35x61.5cm



MODEL: FR-300

SPRAY GUN

DESCRIPTION	
Size:	6/4/8mm
Air Inlet:	1/4"
Cup Capacity:	6L
SPECIFICATIONS	
Weight:	892g
Case pack:	8pcs
G.W./N.W.:	10.5kg /10.0kg
Carton size:	49x49x58cm



MODEL: FR-301

SPRAY GUN

DESCRIPTION	
Size:	6/4/8mm
Air Inlet:	1/4"
Cup Capacity:	6L
SPECIFICATIONS	
Weight:	760g
Case pack:	8pcs
G.W./N.W.:	10.0kg /8.0kg
Carton size:	49x49x58cm



MODEL: H-2008

SPRAY GUN

DESCRIPTION	
Size:	1.4mm
Air Inlet:	1/4BSP
Cup Capacity:	600cc
SPECIFICATIONS	
Weight:	830g
Case pack:	20pcs
G.W./N.W.:	17.6/16.6kg
Carton size:	68x46x30cm



MODEL: H-827

SPRAY GUN

DESCRIPTION	
Size:	1.4mm
Air Inlet:	1/4"
Cup Capacity:	600ml
SPECIFICATIONS	
Weight:	474g
Case pack:	20pcs
G.W./N.W.:	11.0kg/10.0kg
Carton size:	57x32x43cm



MODEL: SG800

ELECTRIC SPRAY GUN

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	550W
No-load Speed:	32000rpm
Nozzel:	1.8mm
Container Capacity:	800ML

SPECIFICATIONS	
Weight:	1.5kg
Case pack:	12 pcs
G.W./N.W.:	19/18 kg
Carton size:	54x54x43cm



MODEL: DO-9

AIR CLEAN GUN

DESCRIPTION	
Nozzle size:	4.0mm
Feed port:	1/4"
Cup Capacity:	900cc

SPECIFICATIONS	
Weight:	516g
Case pack:	30pcs
G.W./N.W.:	16.5/15.5kg
Carton size:	57x41.5x43cm



MODEL: A60-1

AIR BLOW GUN



DESCRIPTION
Air consumption: 3-8CFM
Fluid delivery: 160-240ml/min
Working pressure: 86-114psi 6-8kg/cm ²

SPECIFICATIONS
Weight: 155g
Case pack: 100pcs
G.W./N.W.: 16.5/15.5kg
Carton size: 60x54x25cm

MODEL: DG-10

AIR BLOW GUN



DESCRIPTION
Air consumption: 3-8CFM
Fluid delivery: 160-240ml/min
Working pressure: 86-114psi 6-8kg/cm ²

SPECIFICATIONS
Weight: 155g
Case pack: 100pcs
G.W./N.W.: 16.5/15.5kg
Carton size: 43x41x29cm

MODEL: TG-6

TIRE INFLATING GUN




DESCRIPTION
Air consumption: 3-8CFM
Size: 1/4"
Rubber hose: 13inch/250psi

SPECIFICATIONS
Weight: 374g
Case pack: 50pcs
G.W./N.W.: 19.7/18.7kg
Carton size: 88x34x36cm

MODEL: /

FORA GUN



DESCRIPTION
Air consumption: 3-8CFM
Fluid delivery: 160-240ml/min
Working pressure: 86-114psi 6-8kg/cm ²

SPECIFICATIONS
Weight: 407g
Case pack: 28pcs
G.W./N.W.: 12.4/11.4kg
Carton size: 43x41x29cm

MODEL: 1013A

AIR STAPLER NAIL GUN
(CODE NAIL GUN)



DESCRIPTION
Working air pressure: 0.4-0.7Mpa
Applied nail: 6-13mm
Capacity: 100pcs

SPECIFICATIONS
Weight: 0.85kg
Case pack: 20pcs
G.W./N.W.: 20.5kg /16.5kg
Carton size: 53.2x34.5x28.5cm

MODEL: F30A

AIR STRAIGHT NAIL GUN



DESCRIPTION
Working air pressure: 0.4-0.7Mpa
Applied nail: 10-30mm
Capacity: 100pcs

SPECIFICATIONS
Weight: 1.1kg
Case pack: 20pcs
G.W./N.W.: 26.5kg /21.5kg
Carton size: 47.5x33x36.8cm

MODEL: F50A

AIR STRAIGHT NAIL GUN



DESCRIPTION
Working air pressure: 0.5-0.7Mpa
Applied nail: 20-50mm
Capacity: 100pcs

SPECIFICATIONS
Weight: 1.3kg
Case pack: 10pcs
G.W./N.W.: 18.5kg /13.2kg
Carton size: 55.5x36.2x41cm

MODEL: 8016A

AIR STAPLER
NAIL GUN



DESCRIPTION
Working air pressure: 0.4-0.8Mpa
Air nail: 8-16mm
Capacity: 100pcs

SPECIFICATIONS
Weight: 0.81kg
Case pack: 10pcs
G.W./N.W.: 10.5kg /10kg
Carton size: 36.5x27x32cm

MODEL: 8016B

AIR STAPLER
NAIL GUN



DESCRIPTION
Working air pressure: 0.4-0.8Mpa
Air nail: 8-16mm
Capacity: 100pcs

SPECIFICATIONS
Weight: 0.8kg
Case pack: 20pcs
G.W./N.W.: 20.0kg /19.0kg
Carton size: 47.5x30.5x37cm

MODEL: ST64B

PNEUMATIC STEEL
NAIL GUN



DESCRIPTION
Working air pressure: 0.45-0.8Mpa
Air nail: 10-64mm
Capacity: 80pcs

SPECIFICATIONS
Weight: 3.0kg
Case pack: 6pcs
G.W./N.W.: 20.0kg /19.0kg
Carton size: 58.5x36x33.8cm

MODEL: HW200

HANDHELD WELDING
MACHINE



DESCRIPTION
Voltage: 220-240V
Frequency: 50/60Hz
Output Power: 3000W
Input Current: 20A
Arc Current: 20-200A

SPECIFICATIONS
Weight: 2.1kg
Case pack: 5pcs
G.W./N.W.: 11.5kg /10.5kg
Carton size: 80x33x30cm

MODEL: MMA-200

DC INVERTER WELDER



DESCRIPTION
Type: MMA-200
Voltage: 220-240V
Frequency: 50/60Hz
Arc Current: 20-200A
Applied welding rod: 1.6-3.2mm

SPECIFICATIONS
Weight: 2.9kg
Case pack: 1pc
G.W./N.W.: 4.5kg /4.0kg
Carton size: 35.5x23x30cm

MODEL: MMA-225

DC INVERTER WELDER



DESCRIPTION

Type: MMA-225
Voltage: 220-240V
Frequency: 50/60Hz

SPECIFICATIONS

Weight: 2.4kg
Case pack: 1pc
G.W./N.W.: 4.5kg/4.0kg
Carton size: 33.5x13.5x37cm

MODEL: MMA-250

DC INVERTER WELDER



DESCRIPTION

Type: MMA-250
Voltage: 220-240V
Frequency: 50/60Hz
Arc Current: 20-200A
Applied welding rod: 1.6-3.2mm

SPECIFICATIONS

Weight: 5.05kg
Case pack: 1pc
G.W./N.W.: 6.05kg/5.05kg
Carton size: 40x19.5x35.5cm

MODEL: MMA-400

IGBT WELDER



DESCRIPTION

Type: MMA-400
Voltage: 380V
Frequency: 50/60Hz
Current: 20-400A
Applied welding rod: 2.5-5.0mm

SPECIFICATIONS

Weight: 12.1kg
Case pack: 1pc
G.W./N.W.: 15.5kg/14.5kg
Carton size: 55x30.3x47.8cm

MODEL: W040

PLASTIC WELDING MACHINE SET



DESCRIPTION

Voltage: 220-240V
Frequency: 50-60Hz
Power: 1800W
High temperature: 300°C
Size: 20/25/32/40mm

SPECIFICATIONS

Weight: 1.33kg
Case pack: 10 pcs
G.W./N.W.: 36.5kg/35.5kg
Carton size: 46x47.5x46cm

MODEL: W063

PLASTIC WELDING MACHINE SET



DESCRIPTION

Voltage: 220-240V
Frequency: 50/60Hz
Power: 1800W
High temperature: 0-300°C
Size: 20/25/32/40/50/63mm

SPECIFICATIONS

Weight: 4.95 kg
Case pack: 6pcs
G.W./N.W.: 24.2/23.2kg
Carton size: 45x27.5x46cm

MODEL: MMA-200

DC INVERTER WELDER



DESCRIPTION

Type: MMA-200
Voltage: 220-240V
Frequency: 50/60Hz
Arc Current: 20-200A
Max. Welding Rod: 3.2mm

SPECIFICATIONS

Weight: 3.25kg
Case pack: 1pc
G.W./N.W.: 4.6/4.0kg
Carton size: 35x19x23.5cm

MODEL: MMA-250

DC INVERTER WELDER



DESCRIPTION

Type: MMA-250
Voltage: 220-240V
Frequency: 50/60Hz
Arc Current: 20-250A
Max. Welding Rod: 4.0mm

SPECIFICATIONS

Weight: 5.0kg
Case pack: 1pc
G.W./N.W.: 6.0/5.0kg
Carton size: 44.5x19.5x35.5cm

MODEL: MMA-300

DC INVERTER WELDER



DESCRIPTION

Type: MMA-300
Voltage: 220-240V
Frequency: 50/60Hz
Current: 20-300A
Max. Welding Rod: 4.5mm

SPECIFICATIONS

Weight: 5.0kg
Case pack: 1pc
G.W./N.W.: 6.0/5.0 kg
Carton size: 44.5x19.5x35.5cm

MODEL: MMA-400S

DC INVERTER WELDER



DESCRIPTION

Type: MMA-400S
Voltage: 220V/380V
Frequency: 50/60Hz
Current: 20-400A
Max. Welding Rod: 5.0mm

SPECIFICATIONS

Weight: 8.11kg
Case pack: 1pc
G.W./N.W.: 11.0/10.0 kg
Carton size: 50.5x30.5x45.5cm

MODEL: MIG/MMA-200(5KG)

CO2 GAS PROTECTION WELDING MACHINE



DESCRIPTION

Type: MIG/MMA-200(5KG)
Voltage: 220-240V
Frequency: 50/60Hz
MIG Current: 30-180A
MMA Current: 30-180A

SPECIFICATIONS

Weight: 7.35 kg
Case pack: 1pc
G.W./N.W.: 10.7/9.5 kg
Carton size: 49x28x37.5cm

MODEL: TIG/MMA-200

TIG/MMA WELDER



DESCRIPTION

Type: TIG/MMA-200
Voltage: 220-240V
Frequency: 50/60Hz
TIG Current: 10-200A
MMA Current: 20-180A

SPECIFICATIONS

Weight: 4.95 kg
Case pack: 1pc
G.W./N.W.: 8.0/7.0 kg
Carton size: 44.5x25x32.5cm

MODEL: CUT-40

PLASMA CUTTER



DESCRIPTION

Type: CUT-40
Voltage: 220-240V
Frequency: 50/60Hz
IGBT Current: 15-40A
Part: PT-31 Gun

SPECIFICATIONS

Weight: 5.72 kg
Case pack: 1pc
G.W./N.W.: 8.5/8.0 kg
Carton size: 50x27x35cm

MODEL: MIG-200

DC INVERTER WELDER



DESCRIPTION		SPECIFICATIONS	
Type:	MIG-200	Weight:	4.5 kg
Voltage:	220-240V	Case pack:	1pc
Frequency:	50/60Hz	G.W./N.W.:	5.0/4.5 kg
Arc Current:	20-200A	Carton size:	41.5x27x25.5cm
Rated Duty:	60%		

MODEL: MMA-200S

DC INVERTER WELDER



DESCRIPTION		SPECIFICATIONS	
Type:	MMA-200S	Weight:	6.0 kg
Voltage:	110-240V	Case pack:	1pc
Frequency:	50/60Hz	G.W./N.W.:	6.5/6.0 kg
IGBT Current:	20-200A	Carton size:	44.5x19.5x35.5cm
Rated Duty:	60%		

MODEL: MMA-250S

DC INVERTER WELDER



DESCRIPTION		SPECIFICATIONS	
Type:	MMA-250S	Weight:	6.0 kg
Voltage:	110-240V	Case pack:	1pc
Frequency:	50/60Hz	G.W./N.W.:	6.5/6.0 kg
IGBT Current:	20-250A	Carton size:	44.5x19.5x35.5cm
Rated Duty:	60%		

MODEL: QB60

PERIPHERAL PUMP



DESCRIPTION		SPECIFICATIONS	
Voltage:	220-240V	Weight:	5.1kg
Frequency:	50Hz	Case pack:	4pcs
Power:	0.37KW/0.5HP	G.W./N.W.:	22.0kg/20.0kg
H.max:	40M	Carton size:	30.5x31.5x39cm
Q.max:	37L/min		
Inlet and Outlet(inch):	1" X 1"		

MODEL: QB70

PERIPHERAL PUMP



DESCRIPTION		SPECIFICATIONS	
Voltage:	220-240V	Weight:	8.05kg
Frequency:	50Hz	Case pack:	2pcs
Power:	0.6KW/0.8HP	G.W./N.W.:	18.0kg/16.0kg
H.max:	50M	Carton size:	38x35x23cm
Q.max:	50L/min		
Inlet and Outlet(inch):	1" X 1"		

MODEL: QB80

PERIPHERAL PUMP



DESCRIPTION		SPECIFICATIONS	
Voltage:	220-240V	Weight:	8.5kg
Frequency:	50Hz	Case pack:	2pcs
Power:	0.75KW/1HP	G.W./N.W.:	18.5kg/17.0kg
H.max:	55M	Carton size:	38x34.5x22cm
Q.max:	50L/min		
Inlet and Outlet(inch):	1" X 1"		

MODEL: TJM-60

JET PUMP



DESCRIPTION		SPECIFICATIONS	
Voltage:	220-240V	Weight:	12.8kg
Frequency:	50Hz	Case pack:	1pc
Power:	0.45KW/0.6HP	G.W./N.W.:	13.50kg/13.0kg
H.max:	40M	Carton size:	46.5x19.5x22.5cm
Q.max:	50L/min		
Inlet and Outlet(inch):	1" X 1"		

MODEL: TJM-80

JET PUMP



DESCRIPTION		SPECIFICATIONS	
Voltage:	220-240V	Weight:	13.5kg
Frequency:	50Hz	Case pack:	1pc
Power:	0.6KW/0.8HP	G.W./N.W.:	14.25kg/13.25kg
H.max:	45M	Carton size:	46.5x19.5x22.5cm
Q.max:	50L/min		
Inlet and Outlet(inch):	1" X 1"		

MODEL: TJM-100

JET PUMP



DESCRIPTION		SPECIFICATIONS	
Voltage:	220-240V	Weight:	14kg
Frequency:	50Hz	Case pack:	1pc
Power:	0.75KW/1HP	G.W./N.W.:	16.0kg/14.85kg
H.max:	55M	Carton size:	46.5x19.5x22.5cm
Q.max:	60L/min		
Inlet and Outlet(inch):	1" X 1"		

MODEL: SK125

SELF-PRIMING PERIPHERAL PUMP



DESCRIPTION		SPECIFICATIONS	
Voltage:	220-240V	Weight:	7.5kg
Frequency:	50Hz	Case pack:	1pc
Power:	0.18KW/0.25HP	G.W./N.W.:	7.75kg/7.50kg
H.max:	28M	Carton size:	28.7x20.1x28.5cm
Q.max:	30L/min		
Inlet and Outlet(inch):	1" X 1"		

MODEL: SK250

SELF-PRIMING PERIPHERAL PUMP



DESCRIPTION		SPECIFICATIONS	
Voltage:	220-240V	Weight:	7.75kg
Frequency:	50Hz	Case pack:	1pc
Power:	0.25KW/0.3HP	G.W./N.W.:	8.0kg/7.75kg
H.max:	30M	Carton size:	27.8x19.8x28cm
Q.max:	30L/min		
Inlet and Outlet(inch):	1" X 1"		

MODEL: SK370

SELF-PRIMING PERIPHERAL PUMP



DESCRIPTION		SPECIFICATIONS	
Voltage:	220-240V	Weight:	8.0kg
Frequency:	50Hz	Case pack:	1pc
Power:	0.37KW/0.5HP	G.W./N.W.:	8.25kg/8.0kg
H.max:	35M	Carton size:	27.8x19.8x28cm
Q.max:	33L/min		
Inlet and Outlet(inch):	1" X 1"		

MODEL: CPM130

WATER PUMP



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Power: 0.37KW/0.5HP
H.max: 20M
Q.max: 85L/min
Inlet and Outlet(inch): 1" X 1"

SPECIFICATIONS

Weight: 7.5kg
Case pack: 1pc
G.W./N.W.: 7.70kg/7.50kg
Carton size: 30x28x23.5cm

MODEL: CPM158

WATER PUMP



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Power: 0.75KW/1HP
H.max: 35M
Q.max: 100L/min
Inlet and Outlet(inch): 1" X 1"

SPECIFICATIONS

Weight: 11.85kg
Case pack: 1pc
G.W./N.W.: 12.30kg/11.70kg
Carton size: 35x20.5x27.5cm

MODEL: CPM170

WATER PUMP



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Power: 1.1KW/1.5HP
H.max: 36M
Q.max: 125L/min
Inlet and Outlet(inch): 1.2" X 1"

SPECIFICATIONS

Weight: 18.6kg
Case pack: 1pc
G.W./N.W.: 19.5kg/18.6kg
Carton size: 39x24x30.5cm

MODEL: CPM190

WATER PUMP



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Power: 1.5KW/2.0HP
H.max: 40M
Q.max: 120L/min
Inlet and Outlet(inch): 1.2" X 1"

SPECIFICATIONS

Weight: 19.5kg
Case pack: 1pc
G.W./N.W.: 20.1kg/19.5kg
Carton size: 39x24x30.5cm

MODEL: QB60

WATER PUMP



DESCRIPTION

Voltage: 220V
Frequency: 50Hz
Power: 370W/0.5HP
H.max: 35M
Q.max: 1.7-1.8m³/h
Inlet and Outlet(inch): 2" X 2"

SPECIFICATIONS

Weight: --kg
Case pack: 4pcs
G.W./N.W.: --kg
Carton size: 29x29x35cm

MODEL: QB70

WATER PUMP



DESCRIPTION

Voltage: 220V
Frequency: 50Hz
Power: 600W/0.8HP
H.max: 45M
Q.max: 2.7-2.8m³/h
Inlet and Outlet(inch): 2" X 2"

SPECIFICATIONS

Weight: --kg
Case pack: 2pcs
G.W./N.W.: --kg
Carton size: 36x35x22.5cm

MODEL: QB80

WATER PUMP



DESCRIPTION

Voltage: 220V
Frequency: 50Hz
Power: 750W/1.0HP
H.max: 50M
Q.max: 2.7-2.8m³/h
Inlet and Outlet(inch): 2" X 2"

SPECIFICATIONS

Weight: --kg
Case pack: 2pcs
G.W./N.W.: --kg
Carton size: 36x35x22.5cm

MODEL: MHF/5AM

WATER PUMP



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Power: 1.5KW/2HP
H.max: 22M
Q.max: 500L/min
Inlet and Outlet(inch): 2" X 2"

SPECIFICATIONS

Weight: 17.0kg
Case pack: 1pc
G.W./N.W.: 20.0kg/19.0kg
Carton size: 43x24.3x28.5cm

MODEL: MHF/5BM

WATER PUMP



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Power: 1KW/1.5HP
H.max: 20M
Q.max: 500L/min
Inlet and Outlet(inch): 2" X 2"

SPECIFICATIONS

Weight: 20.8kg
Case pack: 1pc
G.W./N.W.: 19.8kg/19Kg
Carton size: 43x24.3x28.5cm

MODEL: MHF/5B

WATER PUMP



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Power: 0.75KW/1HP
H.max: 17M
Q.max: 450L/min
Inlet and Outlet(inch): 2" X 2"

SPECIFICATIONS

Weight: 13.9kg
Case pack: 1PC
G.W./N.W.: 14.8kg/14.2kg
Carton size: 38x21.5x28.5cm

MODEL: MHF/6B

WATER PUMP



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Power: 1.5KW/2.0HP
H.max: 15M
Q.max: 860L/min
Inlet and Outlet(inch): 3" X 3"

SPECIFICATIONS

Weight: 26.9kg
Case pack: 1pc
G.W./N.W.: 27.9kg/26.9kg
Carton size: 44.5x26x34cm

MODEL: MHF/6C

WATER PUMP



DESCRIPTION

Voltage: 220-240V
Frequency: 50Hz
Power: 1.1KW/1.5HP
H.max: 13M
Q.max: 720L/min
Inlet and Outlet(inch): 3" X 3"

SPECIFICATIONS

Weight: 25.2kg
Case pack: 1pc
G.W./N.W.: 26.4kg/25.2kg
Carton size: 44.5x26x34cm

MODEL: MHF/7BR

WATER PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	3.0KW/4.0HP
H,max:	20.0M
Q,max:	1300L/min
Inlet and Outlet(inch):	4" X 4"

SPECIFICATIONS	
Weight:	39.25kg
Case pack:	1pc
G.W./N.W.:	40.25/39.25kg
Carton size:	53x25.8x34cm

MODEL: 1WZB-35

WATER PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	0.37KW/0.5HP
H,max:	35M
Q,max:	33L/min
Inlet and Outlet(inch):	1" X 1"

SPECIFICATIONS	
Weight:	7kg
Case pack:	1pc
G.W./N.W.:	7.5kg/7kg
Carton size:	28.5x19.2x27.3cm

MODEL: 1WZB-45

WATER PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	0.6KW/0.8HP
H,max:	45M
Q,max:	47L/min
Inlet and Outlet(inch):	1" X 1"

SPECIFICATIONS	
Weight:	8.4kg
Case pack:	1pc
G.W./N.W.:	10.6kg/10kg
Carton size:	30.7x23x30cm

MODEL: 1WZB-65

WATER PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	0.75KW/1.0HP
H,max:	50M
Q,max:	50L/min
Inlet and Outlet(inch):	1" X 1"

SPECIFICATIONS	
Weight:	10.0kg
Case pack:	1pc
G.W./N.W.:	11.25kg/10.4kg
Carton size:	30.7x23x30cm

MODEL: S25 & 32/4-180

CIRCLATING PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	70W
Max.H:	5M
Max.Q:	45L/min

SPECIFICATIONS	
Weight:	2.8kg
Case pack:	8pcs
G.W./N.W.(KGS):	24.5kg/22.5kg
Carton size :	39.5x28.5x28cm

MODEL: S25 & 32/6-180

CIRCLATING PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	100W
Max.H:	6M
Max.Q:	55L/min

SPECIFICATIONS	
Weight:	3.18kg
Case pack:	8pcs
G.W./N.W.(KGS):	27.8kg/25.8kg
Carton size :	39.5x28.5x28cm

MODEL: S25 & 32/8-180

CIRCLATING PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	248W
Max.H:	8M
Max.Q:	80L/min

SPECIFICATIONS	
Weight:	5.0kg
Case pack:	4pcs
G.W./N.W(KGS):	21.0kg/20.0kg
Carton size :	39.5x37.5x16cm

MODEL: QDX1.5-32-0.75

SUBMERSIBLE PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	0.75KW/1HP
Max.H:	33M
Max.Q:	100L/min

SPECIFICATIONS	
Weight:	11.8kg
Case pack:	1pc
G.W./N.W(KGS):	12.1kg/11.8kg
Carton size :	38x22x22.8cm

MODEL: QDX10-16-0.75

SUBMERSIBLE PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	0.75KW/1HP
Max.H:	20M
Max.Q:	250L/min

SPECIFICATIONS	
Weight:	11.4kg
Case pack:	1pc
G.W./N.W(KGS):	11.8kg/11.4kg
Carton size :	39x19.5x23.3cm

MODEL: QDX3-30-1.1

SUBMERSIBLE PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	1.1KW/1.5HP
Max.H:	30M
Max.Q:	167L/min

SPECIFICATIONS	
Weight:	13.5kg
Case pack:	1pc
G.W./N.W(KGS):	13.9kg/13.5kg
Carton size :	44x22x20.5cm

MODEL: QDX50-9-2.2

SUBMERSIBLE PUMP



DESCRIPTION	
Voltage:	220-240V
Frequency:	50Hz
Power:	2.2KW/3HP
Max.H:	11.5M
Max.Q:	875L/min

SPECIFICATIONS	
Weight:	27kg
Case pack:	1pc
G.W./N.W(KGS):	29.0kg/27.1kg
Carton size :	41.6x28x21cm

MODEL: 1001

AUTOMATIC PUMP CONTROL



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Max rate current:	10A
Max liquid temperature:	60 °C
Max rated power input:	1.1KW

SPECIFICATIONS	
Weight:	1.1kg
Case pack:	12pcs
G.W./N.W.:	16.5kg/15.5kg
Carton size:	53x48x38cm

MODEL: 1003

AUTOMATIC PUMP CONTROL



DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Max rate current:	10A
Max liquid temperature:	50°C
Max rated power input:	1.1KW

SPECIFICATIONS

Weight:	1.1kg
Case pack:	15pcs
G.W./N.W.:	16.5/14.5kg
Carton size:	52x44x28cm

MODEL: 1006

FLOAT SWITCH



DESCRIPTION

Voltage:	AC 110-250V
Frequency:	50/60Hz
Rated current:	16(8)A
Protection grade:	IP 68
Max work temperature:	55°C
Electric wire:	2.0M

SPECIFICATIONS

Weight:	0.82kg
Case pack:	20pcs
G.W./N.W.:	18.5/16.5kg
Carton size:	45x42x24cm

MODEL: WP50

GASOLINE WATER PUMP



DESCRIPTION

Voltage:	220-240V
Frequency:	50-60Hz
Power:	7.0HP
Power Speed:	3600R.P.M.
Inlet&Outlet inside Dia:	50mm
Suction Height:	7M
H.max:	26M

SPECIFICATIONS

Q.max:	33m³/h
Fuel Tank Capacity:	3.6L
Displacement:	212CC
Weight:	22.0kg
Case pack:	1pc
G.W./N.W.:	24.0kg /22.0kg
Carton size:	51x39x42.5cm

MODEL: WP80

GASOLINE WATER PUMP



DESCRIPTION

Voltage:	220-240V
Frequency:	50-60Hz
Power:	7.0HP
Power Speed:	3600R.P.M.
Inlet&Outlet inside Dia:	80mm
Suction Height:	7M
H.max:	28M

SPECIFICATIONS

Q.max:	60m³/h
Fuel Tank Capacity:	3.6L
Displacement:	212CC
Weight:	24.0kg
Case pack:	1pc
G.W./N.W.:	23.4kg/21.4kg
Carton size:	51x39x42.5cm

MODEL: 2HP50

GASOLINE HIGH PRESSURE PUMP



DESCRIPTION

Voltage:	220-240V
Frequency:	50-60Hz
Power:	7.0HP
Power Speed:	3600R.P.M.
Inlet&Outlet inside Dia:	50mm
Suction Height:	7M
H.max:	80M

SPECIFICATIONS

Q.max:	19m³/h
Fuel Tank Capacity:	3.6L
Displacement:	212CC
Weight:	23.0kg
Case pack:	1pc
G.W./N.W.:	25.0kg /23.0kg
Carton size:	50x40.5x39.5cm

MODEL: DP80

GASOLINE SEWAGE PUMP



DESCRIPTION

Voltage:	220-240V
Frequency:	50-60Hz
Power:	7.0HP
Power Speed:	3600R.P.M.
Inlet&Outlet inside Dia:	80mm
Suction Height:	7M
H.max:	25M

SPECIFICATIONS

Q.max:	60m³/h
Fuel Tank Capacity:	3.6L
Displacement:	212CC
Weight:	33.0kg
Case pack:	1pc
G.W./N.W.:	35.0kg /33.0kg
Carton size:	56x54x42cm

MODEL: WP50EC

ECONOMY GASOLINE WATER PUMP

DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	7.0HP
Power speed:	3600rpm
Inlet & outlet inside dia:	50mm
Suction height:	7M
H.max:	26M
Q.max:	33m³/H

SPECIFICATIONS

Fuel tank capacity:	3.6L
Displacement:	196cc
Weight:	19.7kg
Case pack:	1pc
G.W./N.W.:	20.7/19.7kg
Carton size:	48x39x41.5cm

MODEL: WP80EC

ECONOMY GASOLINE WATER PUMP

DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	7.0HP
Power speed:	3600rpm
Inlet & outlet inside dia:	80mm
Suction height:	7M
H.max:	28M
Q.max:	60m³/H

SPECIFICATIONS

Fuel tank capacity:	3.6L
Displacement:	196cc
Weight:	21.0kg
Case pack:	1pc
G.W./N.W.:	22.0/21.0kg
Carton size:	51.8x39.5x43.5cm

MODEL: SL950A

GASOLINE GENERATOR



DESCRIPTION

Voltage:	220V
Frequency:	50Hz
Related power:	5000W
Max. power:	5500W
Power factor:	1
Starting:	Recoil/Key
Voltage regulator:	AVR
Strokes:	4 strokes

SPECIFICATIONS

Fuel tank capacity:	15L
Displacement:	390CC
Weight:	86kg
Case pack:	1pc
G.W./N.W.:	87.0/86.0kg
Carton size:	71x55x61cm

MODEL: SL2200

GASOLINE ENGINE GENERATOR



DESCRIPTION

Voltage:	220-240V
Frequency:	50-60Hz
Related Power:	2000W
Max. Power:	2200W
HP Power:	7.0HP
R.P.M.:	3000R.P.M.
Alternator model:	85mm
Phases:	Single

SPECIFICATIONS

Strokes (2/4):	4 strokes
Fuel tank capacity:	12L
Displacement:	212CC
Weight:	35.0kg
Case pack:	1pc
G.W./N.W.:	36.5kg /34.5kg
Carton size:	60.5x44x43.5

MODEL: SL3000

GASOLINE ENGINE GENERATOR



DESCRIPTION

Voltage:	220-240V
Frequency:	50-60Hz
Related Power:	2700W
Max. Power:	3000W
HP Power:	7.0HP
R.P.M.:	3000R.P.M.
Alternator model:	120mm
Phases:	Single

SPECIFICATIONS

Strokes (2/4):	4 strokes
Fuel tank capacity:	12L
Displacement:	212CC
Weight:	45.0kg
Case pack:	1pc
G.W./N.W.:	40.8kg /39.8kg
Carton size:	60.5x44x43.5cm

MODEL: SL5500

GASOLINE ENGINE GENERATOR



DESCRIPTION

Voltage:	220-240V
Frequency:	50-60Hz
Related Power:	5000W
Max. Power:	5500W
HP Power:	13HP
R.P.M.:	3000R.P.M.
Alternator model:	140mm
Phases:	Single

SPECIFICATIONS

Strokes (2/4):	4 strokes
Fuel tank capacity:	22L
Displacement:	439CC
Weight:	70.5kg
Case pack:	1pc
G.W./N.W.:	76.2kg /74.2kg
Carton size:	69x53x55.5cm

MODEL: SL7500**GASOLINE ENGINE GENERATOR****DESCRIPTION**

Voltage:	220-240V
Frequency:	50-60Hz
Related Power:	7000W
Max. Power:	7500W
HP Power:	18HP
R.P.M.:	3000R.P.M.
Alternator model:	160mm
Phases:	Single

SPECIFICATIONS

Strokes (2/4):	4 strokes
Fuel tank capacity:	22L
Displacement:	458CC
Weight:	82.0kg
Case pack:	1pc
G.W./N.W.:	92.5kg /90.5kg
Carton size:	69x53x55.5cm

MODEL: SL2200P**GASOLINE ENGINE GENERATOR****DESCRIPTION**

Voltage:	220V
Frequency:	50Hz
Related power:	2000W
Max. power:	2200W
Power factor:	1
Starting:	Recoil
Voltage regulator:	AVR
Strokes:	4 strokes

SPECIFICATIONS

Fuel tank capacity:	15L
Displacement:	212CC
Weight:	39kg
Case pack:	1pc
G.W./N.W.:	40.0/39.0kg
Carton size:	61x45x52cm

MODEL: SL3000P**GASOLINE ENGINE GENERATOR****DESCRIPTION**

Voltage:	220V
Frequency:	50Hz
Related power:	2800W
Max. power:	3000W
Power factor:	1
Starting:	Recoil
Voltage regulator:	AVR
Strokes:	4 strokes

SPECIFICATIONS

Fuel tank capacity:	15L
Displacement:	212CC
Weight:	49kg
Case pack:	1pc
G.W./N.W.:	50.0/49.0kg
Carton size:	61x45x52cm

MODEL: SL5500P**GASOLINE ENGINE GENERATOR****DESCRIPTION**

Voltage:	220V
Frequency:	50Hz
Related power:	5000W
Max. power:	5500W
Power factor:	1
Starting:	Recoil/Key
Voltage regulator:	AVR
Strokes:	4 strokes

SPECIFICATIONS

Fuel tank capacity:	25L
Displacement:	390CC
Weight:	88kg
Case pack:	1pc
G.W./N.W.:	87.0/86.0kg
Carton size:	71x55x61cm

MODEL: SL7500P**GASOLINE ENGINE GENERATOR****DESCRIPTION**

Voltage:	220V
Frequency:	50Hz
Related power:	7000W
Max. power:	7500W
Power factor:	1
Starting:	Recoil/Key
Voltage regulator:	AVR
Strokes:	4 strokes

SPECIFICATIONS

Fuel tank capacity:	25L
Displacement:	440CC
Weight:	90kg
Case pack:	1pc
G.W./N.W.:	93.0/92.0kg
Carton size:	71x55x61cm

MODEL: SL200A(D)**DIESEL WELDING GENERATOR****DESCRIPTION**

Rated welding current:	200A
Welding voltage (DC):	24-30V
Welding current range:	50-200A
Applicable electrode:	2.5-4.0mm
Phases:	Single
AC frequency:	50Hz
Rate output:	5KW
Rate output voltage:	220V

SPECIFICATIONS

Displacement:	438cc
Type:	Single-cylinder, 4-stroke, air cooled, vertical
Starting system:	Recoil/Electric
Fuel tank:	15L
Oil capacity:	1.65L
Noise level:	78db/7m
G.W./N.W.:	105.0/102.0kg
Carton size:	75x52x56x3cm

MODEL: DG3000**DIESEL GENERATOR****DESCRIPTION**

Voltage/Frequency:	220V/50Hz
Displacement:	0.296L
Related/Max. power:	2.8/3.0KW
Cylinder diameter:	88x75mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Rotary speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	12.5L
DC output:	12V
AC current:	8.3A
Weight:	100kg
Case pack:	1pc
G.W./N.W.:	102.0/100.0kg
Carton size:	96x56x76cm

MODEL: DG5000**DIESEL GENERATOR****DESCRIPTION**

Voltage/Frequency:	220V/50Hz
Displacement:	0.418L
Related/Max. power:	4.5/5.0KW
Cylinder diameter:	92x75mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Rotary speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	12.5L
DC output:	12V
AC output:	8.3A
Weight:	108kg
Case pack:	1pc
G.W./N.W.:	110.0/108.0kg
Carton size:	96x56x76cm

MODEL: DG6000**DIESEL GENERATOR****DESCRIPTION**

Voltage/Frequency:	220V/50Hz
Displacement:	0.456L
Related/Max. power:	5.5/6.0KW
Cylinder diameter:	95x75mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Rotary speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	12.5L
DC output:	12V
AC current:	8.3A
Weight:	126kg
Case pack:	1pc
G.W./N.W.:	128.0/126.0kg
Carton size:	96x56x76cm

MODEL: DG7000**DIESEL GENERATOR****DESCRIPTION**

Voltage/Frequency:	220V/50Hz
Displacement:	0.499L
Related/Max. power:	6.5/7.0KW
Cylinder diameter:	100x85mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Rotary speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	12.5L
DC output:	12V
AC current:	8.3A
Weight:	160kg
Case pack:	1pc
G.W./N.W.:	162.0/160.0kg
Carton size:	96x56x76cm

MODEL: DG8000**DIESEL GENERATOR****DESCRIPTION**

Voltage/Frequency:	220V/50Hz
Displacement:	0.531L
Related/Max. power:	7.5/8.0KW
Cylinder diameter:	105x88mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Rotary speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	12.5L
DC output:	12V
AC current:	8.3A
Weight:	165kg
Case pack:	1pc
G.W./N.W.:	167.0/165.0kg
Carton size:	96x56x76cm

MODEL: SDG5000**SILENT DIESEL GENERATOR****DESCRIPTION**

Voltage/Frequency:	220V/50Hz
Displacement:	418cc
Related/Max. power:	4.0/4.5KW
Cylinder diameter:	96x72mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Rotary speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	14.5L
DC output:	12V
AC current:	8.3A
Weight:	149kg
Case pack:	1pc
G.W./N.W.:	150.0/149.0kg
Carton size:	96x56x76cm

MODEL: SDG6000

SILENT DIESEL GENERATOR



DESCRIPTION

Voltage/Frequency:	220V/50Hz
Displacement:	456cc
Related/Max. power:	5.5/6.0KW
Cylinder diameter:	88x75mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	14.5L
DC output:	12V
AC current:	8.3A
Weight:	151kg
Case pack:	1pc
G.W./N.W.:	155.0/151.0kg
Carton size:	96x56x76cm

MODEL: SDG7000

SILENT DIESEL GENERATOR



DESCRIPTION

Voltage/Frequency:	220V/50Hz
Displacement:	498cc
Rated/Max. power:	6.5/7.0KW
Cylinder diameter:	92x75mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Rotary speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	26L
DC output:	12V
AC current:	8.3A
Weight:	171kg
Case pack:	1pc
G.W./N.W.:	175.0/171.0kg
Carton size:	96x56x76cm

MODEL: SDG8000

SILENT DIESEL GENERATOR



DESCRIPTION

Voltage/Frequency:	220V/50Hz
Displacement:	531cc
Related/Max. power:	7.5/8.0KW
Cylinder diameter:	95x75mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	26L
DC output:	12V
AC current:	8.3A
Weight:	172kg
Case pack:	1pc
G.W./N.W.:	176.0/172.0kg
Carton size:	96x56x76cm

MODEL: SDG9000

SILENT DIESEL GENERATOR



DESCRIPTION

Voltage/Frequency:	220V/50Hz
Displacement:	667cc
Related/Max. power:	8.0/9.0KW
Cylinder diameter:	100x85mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	26L
DC output:	12V
AC current:	8.3A
Weight:	200kg
Case pack:	1pc
G.W./N.W.:	204.0/200.0kg
Carton size:	96x56x76cm

MODEL: SDG10000

SILENT DIESEL GENERATOR



DESCRIPTION

Voltage/Frequency:	220V/50Hz
Displacement:	794cc
Rated/Max. power:	9.0/10.0KW
Cylinder diameter:	2-80x79mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Rotary speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	26L
DC output:	12V
AC current:	8.3A
Weight:	310kg
Case pack:	1pc
G.W./N.W.:	314.0/310.0kg
Carton size:	96x56x76cm

MODEL: SDG12000

SILENT DIESEL GENERATOR



DESCRIPTION

Voltage/Frequency:	220V/50Hz
Displacement:	997cc
Related/Max. power:	11.0/12.0KW
Cylinder diameter:	2-92x75mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	26L
DC output:	12V
AC current:	8.3A
Weight:	320kg
Case pack:	1pc
G.W./N.W.:	324.0/320.0kg
Carton size:	96x56x76cm

MODEL: SDG15000

SILENT DIESEL GENERATOR



DESCRIPTION

Voltage/Frequency:	220V/50Hz
Displacement:	1247cc
Related/Max. power:	15.0/16.0KW
Cylinder diameter:	2-95x88mm
Phase:	Single
Starting:	Recoil/Key
Voltage regulator:	AVR
Speed:	3000rpm

SPECIFICATIONS

Fuel capacity:	26L
DC output:	12V
AC current:	8.3A
Weight:	350kg
Case pack:	1pc
G.W./N.W.:	354.0/350.0kg
Carton size:	96x56x76cm

MODEL: W0600001

CABLE REEL




DESCRIPTION

Voltage:	220-240V/10V
Diameter:	320mm
Loading Capacity:	110m
Protection:	4ways outlets
Circuit break indicator light:	Two
Surface material:	ABS/PVC
Backside conductor:	Coorper

SPECIFICATIONS

Weight:	2.3kg
Case pack:	4pcs
G.W./N.W.:	11.2kg/10.2kg
Carton size:	70x53x46.5cm



ZHEJIANG SALI ABRASIVE TECHNOLOGY CO.,LTD

YIWU PENGCHENG IMPORT&EXPORT CO.,LTD

YONGKANG PENGCHENG GRINDING APPARATUS & ABRASIVE CO.,LTD

Add:7th floor, Futian Ginza-B, Yiwu City, Zhejiang Province, China.

Tel:0086-579-85255568 Fax:0086-579-85455568

Web: www.salitools.com Web:www.sali-group.com

E-mail: admin@pcsali.com

